

NOMAD LIMITED

1994 TRAVEL TRAILERS & FIFTH WHEELS

STANDARD FEATURES

- Welded carbon steel chassis w/outrigger
- Brakes on all wheels
- Galvanized steel wheelwells insulated w/foil backed fiberglass
- Sewer hose carrying bumper
- SAE approved safety chains
- Double entry steps
- Extra large rain gutter w/downspouts
- 2-30# LP w/auto reg.
- Combination entry and screen door w/window
- Outside patio light at each entry door
- Radius jalousie windows
- Dead bolt locks
- Hitch light
- Secondary exit
- 5 ply fir floor decking
- Wired and reinforced for optional air conditioner
- 110 volt/12 volt power center
- 110 volt patio and bath receptacles protected by G.F.C.I. circuit interrupter
- ABS tub surround (except 1850 and 1890)
- Power vent bath
- Medicine cabinet and mirror in bath
- Bedspreads w/reverse sham
- Lift bed (N/A twin beds)
- Cedar lined lift bed bases
- Cedar wardrobe bases
- Solid oak raised panel cabinet and wardrobe doors
- Wood drawers with solid oak fronts, metal guides, and side rollers
- Deluxe drapes and window valances
- Mini blinds—except bunk windows
- Power range hood w/light
- Dinette overhead or home entertainment center (except compacts)
- 2 sink covers
- Monitor panel
- Park cable hook up
- TV antenna w/power booster
- Gas leak detector
- Smoke detector
- Fire extinguisher

AVAILABLE OPTIONS

- 13,500 BTU air conditioner
- Ducted air conditioner
- Microwave ready or installed
- Performance pack (air conditioner awning, microwave oven)
- Gas-electric water heater
- Auto ignition water heater
- Water heater bypass
- ABS tub surround (1850 and 1890)
- Outside shower
- Extra TV jack
- TV shelf
- AM/FM cassette stereo w/2 speakers
- Rubber roof
- LP tank cover
- Raised panel refer fronts
- Chair (see floor plan)
- Stabilizer jacks

As a member of the Recreational Vehicle Industry Association (RVIA) and the Canadian Standards Association (CSA), Skyline manufactures Travel Trailers and Fifth Wheels with your safety in mind. Family Safety is so important to us that we have U.L. Listing and Inspection . . . an independent third-party oversight of all Skyline design, construction and appliances are approved by Underwriters Laboratories, Inc. U.L. is America's most respected authority on product safety and reliability.

SAFETY GROUP FEATURES INCLUDE

- 110 volt/12 volt power converter w/built in battery charger
- L.P. gas leak detector
- 110 volt patio, kitchen and bath receptacles, protected by G.F.I. circuit interrupter
- Outside porch light
- Secondary exit and fire extinguisher
- Smoke alarm
- Carbon monoxide detector w/generator ready or generator installed
- Padded entry door header
- Electric brakes on all wheels
- Heavy duty safety chains

NO-NONSENSE WARRANTY

We provide a full one year warranty from the date of original purchase against defects in materials and workmanship. Separate manufacturer's warranties cover various components used on our products. Ask your dealer for Skyline's complete warranty policy.


SKYLINE

Bringing America home./Bringing America fun.


Introducing...

Two New NOMAD® Specials


FRONT BEDROOM FIFTH WHEELS FOR '94




Model 2655




Option Front Twin Beds
(Model 2655)



Model 3055



Option Walk-Thru Bath
(Model 3055)



Option Front Twin Beds
(Model 3055)

SOME POPULAR OPTIONS

- Power front jacks
- Shock absorbers
- Spare tire and wheel
- Gas/electric and/or auto ignition water heater
- Free-standing chair
- Folding tub/shower door
- Skylight
- Double insulation package
- Folding range cover
- Outside entertainment center
- Telephone jack and wire

SKYLINE

Bringing America home./Bringing America fun.

STANDARD FEATURES (Models 2655 & 3055)

COMFORT

- Thick seat cushions w/radius corners
- Plush carpet in bedroom and living room (per floor plan shaded area)
- Dometic® 13,500 BTU ducted A/C
- 4-color coordinated designer interiors
- Coordinated drapes and window valances
- Color coordinated bedspread(s)
- Queen bed
- Bedroom roof vent

CONVENIENCE

- 30" wide entry door
- Custom raised wood cabinet doors and refer doors
- Radius counter tops and overhead cabinet end panels
- Medicine cabinet and mirror in bath
- Systems monitor panel
- Power bath vent
- Power range hood w/light
- Wedgewood® oven w/black front
- Dometic® microwave oven
- Dometic® refrigerator
- AM/FM cassette stereo and 4 speakers w/antenna
- TV antenna w/cable hook-up
- TV jack in living room and bedroom
- TV shelf in bedroom
- Lift-up beds w/gas struts (per floor plan)
- Embossed vinyl flooring
- Outside shower
- Mechanical slide-out travel locks (2)
- Water heater by-pass valve
- Double 30 lb. L.P. tanks
- Holding tanks w/single drain outlet
- Rear bumper w/sewer hose carrier
- Rear leveling jacks
- (2) baggage door lights

CONSTRUCTION

- A&E side awning
- 5-ply fir floor decking
- Welded carbon steel frame chassis with steel outriggers
- Galvanized steel wheelwells with foil-backed insulation
- Flush back frame windows w/radius corners
- Tough ABS wheel skirts
- Stile and rail overhead cabinet construction
- Insulated central air-conditioning ducts in ceiling
- All wood drawers w/travel-lock glide system

SECURITY

- Flush door latch w/integral dead bolt lock

MAINTENANCE

- ABS tub with one-piece surround

FIFTH WHEELS	2655*	3055*
Sleeping Accommodations	6	6
Converter w/Battery Charger (AMPS)	32	32
LP Gas Bottles (No./Lbs.)	2/30	2/30
Fresh Water System (Gal.)	58	58
Gray Water Holding Tank (Gal.)	65	65
Black Water Holding Tank (Gal.)	31	40
Fast Recovery Water Heater (Gal.)	6 (Gas)	6 (Gas)
Furnace w/Electronic Ignition (B.T.U.'s)	25M	25M
Dometic Refrigerator (Cu. Ft.)	6	6
Axles	2	2
Tires Blackwall (St. Radial)	225/75-15C	225/75-15C
Dry Hitch Weight (Approx.)	1350	1650
Dry Axle Weight (Approx.)	5400	5700
Gross Dry Weight (Approx.) (depending upon opt. equip)	6750	7350
Gross Vehicle Weight Rating	10320	10320
**Payload	3570	2970
Overall Length (Approx.)	27'-10"	30'-9"
Overall Width (Approx.)	96"	96"
Overall Height (Approx.)	10'-10"	11'-6"
Interior Height (Approx.)	78"	78"
Upper Level Interior Height (Approx.)	65 1/2"	71 1/2"
Awning Size	18'	21'

* Weight information for this model has been estimated, and is subject to change.

** Payload capacity will vary depending on optional equipment.

Manufacturer's Notice: All specifications, equipment and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

As a member of the Recreational Vehicle Industry Association (RVIA) and the Canadian Standards Association (CSA), Skyline manufactures Travel Trailers and Fifth Wheels with your safety in mind. Family Safety is so important to us that we have a U.L. Listing and inspection . . . an independent third-party oversight of all Skyline design, construction and appliances are approved by Underwriters Laboratories, Inc. U.L., is America's most respected authority on product safety and reliability.

110 Volt/12 Volt Power Converter w/built in Battery Charger
110 Volt Patio, Kitchen and Bath Receptacles,
Protected by G.F.I. Circuit Interrupter
Outside Porch Light
Hitch Light
Secondary Exit and Fire Extinguisher
Smoke Alarm
Padded Entry Door Header
Electric Brakes On All Wheels

We provide a full one year warranty from the date of original purchase against defects in materials and workmanship. Separate manufacturers' warranties cover various components used on our products. Ask your dealer for Skyline's complete warranty policy.


Your local Nomad® dealer is:

JERRY'S TRAILERS & CAMPERS
2601 S. 13th St.
Norfolk, NE 68701


SKYLINE

Bringing America home./Bringing America fun.


NOMAD® LIMITED COMPACT TRAVEL TRAILERS




Model 1850




Model 1890




Model 2050




Option Rear Twin Beds (Model 2050)




Model 2260




Option Twin Beds (Model 2260)




Model 2470



Option Twin Beds (Model 2470)




Model 2590




Option Free-Standing Dinette (Model 2590)

NOMAD® LIMITED COMPACT FIFTH WHEEL




Model 1902




Model 2135


NOMAD® LIMITED TRAVEL TRAILERS




Model 2210




Model 2280




Option Twin Beds (Model 2280)




Model 2540




Option Free-Standing Dinette (Model 2540)




Model 2591



Option Free-Standing Dinette (Model 2591)













Model 2610






Model 2680


NOMAD LIMITED TRAVEL TRAILERS continued




NOMAD LIMITED TRAVEL TRAILERS continued





Option Side Bath/Rear Dinette (Model 3511)




Option Rear Bunks/Walk-Thru Bath (Model 3511)




Option Walk-Thru Bath/Rear Dinette (Model 3511)



Option Side Bath/Rear Dinette (Model 3611)




Option Walk-Thru Bath/Rear Bunks (Model 3611)




Option Walk-Thru Bath/Rear Dinette (Model 3611)


NOMAD® LIMITED FIFTH WHEELS




Model 2515




Option Twin Beds
(Model 2515)




Model 2525




Option Rear Door
(Model 2525)



Option Twin Beds
(Model 2525)



Model 2720



Option Twin Beds
(Model 2720)

1994 NOMAD LIMITED COMPACT

TRAVEL TRAILERS/FIFTH WHEEL	1850	1890	2050	2260	2470	2590	1902 FW	2135 FW
Dry Hitch Weight (Approx.)	300	485	370	505	385	515	620	550
Dry Axle Weight (Approx.)	2700	2720	3080	3095	3400	4040	2615	3475
Gross Dry Weight (Approx.) (depending upon opt. equip)	3000	3205	3450	3600	3785	4555	3235	4025
Gross Vehicle Weight Rating	4840	4840	4840	6160	6160	6160	4800	7100
**Payload	1840	1635	1390	2560	2375	1605	1565	3075
Interior Height (Approx.)	78"	78"	78"	78"	78"	78"	78"	78"
Overall Height (Approx.)	8'-9"	8'-9"	8'-9"	8'-9"	8'-9"	8'-9"	9'-1"	9'-1"
Overall Length (Approx.)	18'-11"	19'-10"	21'-4"	22'-9"	24'-11"	26'-1"	20'-3"	23'-0"
Overall Width (Approx.)	96"	96"	96"	96"	96"	96"	90"	96"
Upper Level Interior Height (Approx.)	N/A	N/A	N/A	N/A	N/A	N/A	38 1/2"	43"
Sleeping Accommodations	4	4	4	5	4	4	5	6
Fresh Water System (Gal.)	25	25	36	36	36	36	36	35
Gray Water Holding Tank (Gal.)	25	31	25	25	25	25	25	31
Black Water Holding Tank (Gal.)	24	31	31	24	24	40	31	31
Fast Recovery Water Heater (Gal.)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)
Converter w/Battery Charger (AMPS)	32	32	32	32	32	32	32	32
LP Gas Bottles (No./Lbs.)	2/30	2/30	2/30	2/30	2/30	2/30	1/40	1/40
Furnace w/Electronic Ignition (B.T.U.'s)	25M	25M	25M	25M	25M	25M	17M	25M
Dometic Refrigerator	SGL/ Door	SGL/ Door	SGL/ Door	2-Door	2-Door	2-Door	SGL/ Door	2-Door
Axles	2	2	2	2	2	2	2	2
Tires Blackwall (St. Radial)	175/80 13B	175/80 13B	175/80 13B	205/75 14B	205/75 14B	205/75 14B	175/80 13B	205/75 15B

* Weight information for this model has been estimated, and is subject to change.

** Payload capacity will vary depending on optional equipment.

Manufacturer's Notice: All specifications, equipment and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

* Dimensions stated to industry standards. Overall length includes approximately four foot hitch on Travel Trailers.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

1994 NOMAD LIMITED TRAVEL TRAILER

TRAVEL TRAILERS	2210	2280*	2540*	2591	2610	2680	2800	2910	3010	3030	3230*	3330*	3511	3611
Dry Hitch Weight (Approx.)	575	550	450	575	435	575	576	570	640	600	1500	750	775	810
Dry Axle Weight (Approx.)	3375	3250	3850	4625	3635	3785	4830	4035	4205	4300	5400	6050	4905	5230
Gross Dry Weight (Approx.) (depending upon opt. equip)	3950	3800	4300	5200	4070	4360	5406	4605	4845	4900	6900	6800	5680	6040
Gross Vehicle Weight Rating	6510	6160	6510	7700	7700	7700	7700	7700	7700	7700	9460	9460	7700	7700
**Payload	2560	2360	2210	2500	3630	3340	2294	3095	2855	2800	2550	2660	2020	1660
Interior Height (Approx.)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Overall Height (Approx.)	8'-10"	8'-10"	8'-10"	9'-0"	8'-10"	8'-10"	8'-11"	8'-11"	8'-11"	8'-11"	9'-5"	9'-11"	9'-1"	9'-1"
Overall Length (Approx.)	24'-10"	23'-0"	215'-4"	26'-11"	26'-11"	27'-8"	28'-8"	29'-11"	30'-5"	30'-5"	33'-7"	33'-10"	35'-10"	37'-2"
Overall Width (Approx.)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Sleeping Accommodations	6	4	6	6	8	8	6	6	8	6	6	8	9	9
Fresh Water System (Gal.)	36	36	36	36	36	36	36	36	36	36	36	36	36	36
Gray Water Holding Tank (Gal.)	25	25	40	25	25	25	25	25	25	25	50	25	25	25
Black Water Holding Tank (Gal.)	40	31	40	40	40	40	40	40	40	40	40	40	40	40
Fast Recovery Water Heater (Gal.)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)	6 (Gas)
Converter w/Battery Charger (AMPS)	32	32	32	32	32	32	32	32	32	32	32	32	32	32
LP Gas Bottles (No./Lbs.)	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30	2/30
Furnace w/Electronic Ignition (B.T.U.'s)	25M	25M	25M	25M	25M	25M	25M	25M	25M	25M	25M	25M	31M	31M
Dometic Refrigerator	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door	2-Door
Axles	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Tires, 15" Blackwall (St. Radial)	205/75 15B	205/75 14B	205/75 15B	205/75 15C	225/75 C	225/75 C	225/75 C	225/75 C	225/75 C	225/75 C	225/75 15C	225/75 15C	225/75 C	225/75 C

* Weight information for this model has been estimated, and is subject to change.

** Payload capacity will vary depending on optional equipment.

Manufacturer's Notice: All specifications, equipment and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

* Dimensions stated to industry standards. Overall length includes approximately four foot hitch on Travel Trailers.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

1994 NOMAD LIMITED FIFTHWHEEL

FIFTH WHEELS	2515	2525	2720
Dry Hitch Weight (Approx.)	1115	1135	1180
Dry Axle Weight (Approx.)	3780	3640	4080
Gross Dry Weight (Approx.) (depending upon opt. equip)	4895	4775	5260
Gross Vehicle Weight Rating	8400	8400	8400
**Payload	3505	3675	3140
Interior Height (Approx.)	78"	78"	78"
Overall Height (Approx.)	10'-4"	10'-0"	10'-0"
Overall Length (Approx.)	26'-4"	27'-4"	28'-3"
Overall Width (Approx.)	96"	96"	96"
Upper Level Interior Height (Approx.)	52 1/4"	52 1/4"	52 1/4"
Sleeping Accommodations	8	6	6
Fresh Water System (Gal.)	36	36	35
Gray Water Holding Tank (Gal.)	40	40	40
Black Water Holding Tank (Gal.)	31	31	31
Fast Recovery Water Heater (Gal.)	6 (Gas)	6 (Gas)	6 (Gas)
Converter w/Battery Charger (AMPS)	32	32	32
LP Gas Bottles (No./Lbs.)	2/30	2/30	2/30
Furnace w/Electronic Ignition (B.T.U.'s)	25M	25M	25M
Dometic Refrigerator	2-Door	2-Door	2-Door
Axles	2	2	2
Tires Blackwall (St. Radial)	225/75-C	225/75-C	225/75-C

* Weight information for this model has been estimated, and is subject to change.

** Payload capacity will vary depending on optional equipment.

Manufacturer's Notice: All specifications, equipment and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

* Dimensions stated to industry standards. Overall length includes approximately four foot hitch on Travel Trailers.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.