

1995

SPORTSMASTER[®]




Enjoy The Luxury
of
Nature's Solitude!



It's not just a trite phrase but a standard of excellence for KIT Manufacturing Company. From two camper trailers a week in 1945 to a dominant position as one of the nation's top producers of manufactured housing and recreational vehicles, that's the phenomenal success story of KIT Manufacturing Company, now celebrating its "50th" Year Anniversary.

KIT Manufacturing Company was founded in 1945 and its first trailer, the teardrop, was introduced to a post-war public that was eager to travel. A pre-fabricated two wheel trailer, ordered through a catalog, came ready to assemble in a "kit" and inspired the company's name.


"50 YEARS OF INNOVATION"



These small trailers offered such innovative luxuries as innerspring mattresses, cooktops, fresh-water tanks, and an all-aluminum kitchen with butane stove and ice box. The popularity of KIT recreational vehicles created a demand for larger fully assembled models. Before long, recreational vehicles were being shipped all over the United States by rail and even by ship through the Panama Canal.

In this the "50th" year of continuous operation, KIT is one of the oldest and most established companies in the industry. Quality, reliability and attention to detail have been a consistent source of pride for 50 years.


195T



195T Specifications

Overall Length	19'11"
Gross Dry Weight	3076 lb.
Dry Hitch Weight	580 lb.
Payload(Before Options)	3104 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	38 gal.

224T



224T Specifications


Overall Length	23'4"
Gross Dry Weight	3585 lb.
Dry Hitch Weight	541 lb.
Payload(Before Options)	3796 lb.
Fresh Water	38 gal.
Gray Water	38 gal.
Black Water	38 gal.



- ABS Tub/Shower Surround
- Designer Drape with Shower Curtain
- Handy Corner Shelves

SPORTSMANMASTER


Trailers



- Straight Axles
- Steel Belted Radial Tires
- Higher Ground Clearance
- Heavier Rated Axles For Larger Payloads




232T



232T Specifications

Overall Length	23' 7"
Gross Dry Weight	4360 lb.
Dry Hitch Weight	460 lb.
Payload(Before Options)	2940 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	32 gal.


248T



248T Specifications

Overall Length	25' 11"
Gross Dry Weight	4660 lb.
Dry Hitch Weight	580 lb.
Payload(Before Options)	2760 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	32 gal.

249T




249T Specifications

Overall Length	25' 11"
Gross Dry Weight	4455 lb.
Dry Hitch Weight	651 lb.
Payload(Before Options)	3036 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	38 gal.



251T




251T Specifications

Overall Length 25'11"
 Gross Dry Weight 4360 lb.
 Dry Hitch Weight 660 lb.
 Payload(Before Options) 3140 lb.
 Fresh Water 38 gal.
 Gray Water 38 gal.
 Black Water 38 gal.




266T



266T Specifications


Overall Length 27'11"
 Gross Dry Weight 4620 lb.
 Dry Hitch Weight 580 lb.
 Payload(Before Options) 2960 lb.
 Fresh Water 38 gal.
 Gray Water 38 gal.
 Black Water 38 gal.

277T



277T Specifications


Overall Length 28'11"
 Gross Dry Weight 4900 lb.
 Dry Hitch Weight 500 lb.
 Payload(Before Options) 2600 lb.
 Fresh Water 38 gal.
 Gray Water 25 gal.
 Black Water 32 gal.



- Horseshoe Dinette
- Seats Five or More
- Lots of Room
- Scotchgard Fabrics

SPORTSMANMASTER


Trailers



283T

283T Specifications

Overall Length	28'11"
Gross Dry Weight	5440 lb.
Dry Hitch Weight	720 lb.
Payload(Before Options)	2120 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	32 gal.




300T

300T Specifications


Overall Length	31'2"
Gross Dry Weight	5190 lb.
Dry Hitch Weight	927 lb.
Payload(Before Options)	2737 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	32 gal.

301T




301T Specifications


Overall Length	31'2"
Gross Dry Weight	5320 lb.
Dry Hitch Weight	820 lb.
Payload(Before Options)	2340 lb.
Fresh Water	38 gal.
Gray Water	25 gal.
Black Water	32 gal.



- Three Burner Stove with Oak Knife Rack
- Front Burner Features a High Output 9M BTU Rating With Extra Space For Larger Pots & Pans



305T




305T Specifications

Overall Length	32'11"
Gross Dry Weight	7315 lb.*
Dry Hitch Weight	1140 lb.*
Payload (Before Options)	2675 lb.*
Fresh Water	38 gal.
Gray Water	38/38 gal.
Black Water	38 gal.



- Straight Pull Dump Valves
- Convenient Easy Access
- Standard Feature On All KIT RV's




Sportsmaster Travel Trailer Specifications

	195T	224T	232T	248T	249T	251T	266T	277T	283T	300T	301T	305T
Sleeping Areas	3	4	4	4	3	3	4	3	3	3	7	2
Furnace (BTU's)	16,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000	31,000	31,000	31,000	31,000
Skyline Roof Vents	2	2	2	3	2	2	2	3	3	3	3	3
Tire Size	ST205/75R14	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15	ST225/75R15
Tire Load Range	C	C	C	C	C	C	C	C	C	C	C	D
G.V.W.R. (lbs)	6,180	7,381	7,300	7,420	7,491	7,500	7,580	7,500	7,560	7,927	7,660	9990*
Payload (Before Options) lbs	3,104	3,796	2,940	2,760	3,036	3,140	2,960	2,600	2,120	2,737	2,340	2675*
Overall Length	19' 11"	23' 4"	23' 7"	25' 11"	25' 11"	25' 11"	27' 11"	28' 11"	28' 11"	31' 2"	31' 2"	32' 11"
Overall Height	8' 11"	8' 11"	9' 1"	9' 1"	8' 11"	8' 11"	8' 11"	9' 1"	9' 0"	9' 0"	9' 0"	9' 5"

*Estimated Weights. Weights and measurements given are approximate.

SPORTSMaster Trailers


212F



212F Specifications

Overall Length 21'10"
 Gross Dry Weight 3743 lb.
 Dry Hitch Weight 852 lb.
 Payload(Before Options) 3949 lb.
 Fresh Water 38 gal.
 Gray Water 38 gal.
 Black Water 38 gal.


237F



237F Specifications


Overall Length 23'11"
 Gross Dry Weight 4340 lb.
 Dry Hitch Weight 720 lb.
 Payload(Before Options) 3220 lb.
 Fresh Water 38 gal.
 Gray Water 38 gal.
 Black Water 38 gal.

215F



215F Specifications

Overall Length 21'11"
 Gross Dry Weight 3878 lb.
 Dry Hitch Weight 720 lb.
 Payload(Before Options) 3682 lb.
 Fresh Water 38 gal.
 Gray Water 38 gal.
 Black Water 38 gal.




- 4 Way Automotive Style Slide Seal
- Wiper Cover Protects Bulb Seals
- Seals Slide & Cleans Water Off As Slide Goes In



SPORTSMANMASTER


Fifth Wheels



238F

238F Specifications


Overall Length	24'2"
Gross Dry Weight	6205 lb.*
Dry Hitch Weight	992 lb.*
Payload(Before Options)	3387 lb.*
Fresh Water	42 gal.
Gray Water	38 gal.
Black Water	38 gal.




254F

254F Specifications

Overall Length	25'11"
Gross Dry Weight	6320 lb.
Dry Hitch Weight	820 lb.
Payload(Before Options)	3100 lb.
Fresh Water	42 gal.
Gray Water	38 gal.
Black Water	38 gal.



- Eye Level Microwave for Safe Use
- Perfect For "On The Go" Meals Or Quick Snacks
- Provides Extra Cabinets for Storage
- Optional on Some Models



268F


268F Specifications

Overall Length	27'11"
Gross Dry Weight	5039 lb.
Dry Hitch Weight	773 lb.
Payload(Before Options)	2734 lb.
Fresh Water	38 gal.
Gray Water	38 gal.
Black Water	38 gal.

SPORTSMASTER Fifth Wheels




- High Back Tufted Sofa/Bed
- Excellent Seating With A Superior Bed For Night Time Comfort
- Scotchgard Fabrics



299F Specifications

Overall Length	30'11"
Gross Dry Weight	7635 lb.*
Dry Hitch Weight	1460 lb.*
Payload(Before Options)	3145 lb.*
Fresh Water	38 gal.
Gray Water	38/38 gal.
Black Water	38 gal.




278F Specifications

Overall Length	28'11"
Gross Dry Weight	7060 lb.
Dry Hitch Weight	1100 lb.
Payload(Before Options)	3360 lb.
Fresh Water	38 gal.
Gray Water	38/38 gal.
Black Water	38 gal.



- 278F With 60" x 75" Queen Bed
- Individual Night Stands On Each Side
- Walk Around Design
- Under Bed Storage Of Course!



337F

MANUFACTURED BY:

KIT MANUFACTURING COMPANY

DATE OF MANUFACTURE 1995 G.V.W.R. 7500

G.A.W.R.: FRONT 3500 REAR 3500 ALL AXLES WITH

ST205/75R15(C) TIRES 15" X 6" RIMS 50 PSI COLD SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY

STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

VEHICLE I.D. NO. SAMPLE

VEHICLE TYPE: TRAILER MODEL 26' Trailer (Sample)

THE FOLLOWING GUIDELINE WEIGHTS ARE AVERAGE FOR THIS MODEL

AS STANDARD BUILT. WEIGHTS WILL VARY ACCORDING TO

OPTIONAL EQUIPMENT AND FEATURES INSTALLED OVER STANDARD.

GROSS DRY 4360 HITCH DRY 660 PAYLOAD 3140

337F Specifications

Overall Length 33'8"
Gross Dry Weight 8460 lb.
Dry Hitch Weight 1460 lb.
Payload(Before Options) 5000 lb.
Fresh Water 38 gal.
Gray Water 38/38 gal.
Black Water 38 gal.

KIT Tells You MORE!

Sportsmaster Fifth Wheel Specifications

	212F	215F	237F	238F	254F	268F	278F	299F	337F
Sleeping Areas	3	4	3	2	2	3	2	2	2
Furnace (BTU's)	16,000	18,000	25,000	25,000	25,000	25,000	31,000	31,000	31,000
Skyline Roof Vents	2	3	3	3	3	3	3	3	3
Tire Size	ST205/75R15	ST205/75R15	ST205/75R15	ST225/75R15	ST225/75R15	ST205/75R15	ST225/75R15	ST225/75R15	ST235/85R16
Tire Load Range	C	C	C	C	C	C	D	D	E
G.V.W.R. (lbs)	7,692	7,560	7,560	9,592*	9,420	7,773	10,420	10,780*	13,460
Payload (Before Options) lbs	3,949	3,682	3,220	3,387*	3,100	2,734	3,360	3,145*	5,000
Overall Length	21' 10"	21' 11"	23' 11"	24' 2"	25' 11"	27' 11"	28' 11"	30' 11"	33' 8"
Overall Height	9' 2"	9' 2"	9' 2"	9' 9"	9' 9"	9' 2"	12' 2"	11' 9"	12' 2"

*Estimated Weights. Weights and measurements given are approximate.

SPORTSMaster Fifth Wheels

SPORTSMASTER STANDARD FEATURES

COMPARE SPORTSMASTER WITH THE COMPETITION!

Interior Features

- Decorator styled valances with side arms, and upholstery
- Roller shades throughout
- **Carpet in living room and bedroom areas**
- **Innerspring mattress with bedspread**
- Wainscot walls with chair rail
- **Swivel rocker chair (where shown)**
- Queen bed where applicable
- **Bed lifts (island beds)**
- Raised panel cabinet doors
- Decorative glass cabinet door inserts (select areas)
- TV ready in bedroom with shelf
- Roof vent in bedroom

Galley

- Large stainless steel sink
- Cutting board sink cover
- Built in knife rack
- Large overhead cabinets
- Raised Panel refrigerator doors
- GFI protected 120V outlet

Bath

- Fresh water flush toilet
- **ABS tub/shower surround**
- **Designer drape with shower curtain**
- 12V powered roof vent
- GFI protected 120V outlet

- Wall switched ceiling light
- Overhead medicine cabinet with mirror

Appliances/Equipment

- **Dometic® Double door LP/electric refrigerator**
- Three burner range with high output front burner
- Range hood with 12V light and exhaust fan
- **Super fast recovery gas/electric water heater**
- Water heater by pass kit
- Forced air furnace with thermostat
- **Eye level microwave oven****
- Smoke detector
- Fire extinguisher
- Wall mounted monitor panel
- **13.5 air conditioning****
- **AM/FM cassette stereo****
- Cable TV hook-up
- **TV antenna****
- Converter with battery charger
- 30' power cord

Construction Features

- Unit is full 8 feet wide
- R-7 insulation throughout
- Transverse 2" x 3" floor on 12" centers
- Weyerhaeuser Sturdy-wood floor decking with 10 year warranty.

- **Truss style rafters/Composite 4" thick roof**
- Ducted air conditioning with layered R-7 fiberglass insulation (ducting most models)
- **Rubber roof with 10 year warranty**
- Screened entry doors with window
- Flush combo entry latch with dead bolt lock
- Straight axles
- Retractable double step at each entry
- Retractable triple step at each entry on most slide models
- Dual 7 1/2 gallon LP gas bottles most models
- Single 10 gallon LP gas bottle 212F & 237F
- ABS LP bottle cover (trailers)
- Radius torque windows (most applications)
- Dual battery rack (trailers)
- Radial tires with spoke wheels
- C-channel cambered chassis
- 12" I-beam chassis on slide fifth wheels and 305T
- Locking insulated radiused baggage doors
- 120V patio outlet
- **A&E 8500 series awning****
- Wall switched door side patio light
- Hitch light (trailers)
- Front rock guards (trailers)

**Items are optional on 195T, 224T, 232T, 212F & 215F




1995

SPORTSMASTER®




- Entertainment Center With Built-in AM/FM Cassette Stereo
- Storage! Storage!!




- Large 44" Slide
- Great Room Design



- Full 60" Wide Dream Bed
- Convenient Bed Side Shelf
- Large Mirrored Wardrobe



- 337F Galley - Kitchen
- Spacious Living
- Eye Level Microwave



- Convenient Vanity With TV Shelf and Hook Ups
- Window Brings Light As Well As Ventilation

Manufacturer's Notice: All specifications, equipment and prices subject to change without notice. Production of all models subject to seasonal scheduling. KIT Manufacturing Company reserves the right to improve models without incorporating these changes in similar models produced at an earlier date.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.



KIT Manufacturing Company
P.O. Box 586, McPherson, KS 67460 (316) 241-4320

JERRY'S TRAILERS & CAMPERS
2601 S. 13th St.
Norfolk, NE 68701

YOUR AUTHORIZED SPORTSMASTER® DEALER

LITHO U.S.A. 10/94 80M