



Seven

*The Original*



# Super Light Weight Trailer

**Designed specifically for Today's Minivans and Sport Utility Vehicles**

- Super light weight for realistic towing performance with today's smaller engines
- Clean, aerodynamic, uncluttered front profile for low wind resistance
- Extremely low center of gravity for safe, stable towing
- Aluminum reinforced, laminated construction for superior strength and light weight
- Fiberglass exterior skin for ease of maintenance and high scratch and dent resistance








# Check It Out Before You Buy...

Only Aerolite Offers all these Features as Standard:







- Galvanized Steel, High Tech Imported Chassis (Travel Trailers)
- Laminated, Aluminum Framed Construction
- Fiberglass Exterior Skin
- Durashell Vinyl Roof
- Radiused Corner Jalousie Windows
- 5-Year Structural Warranty
- Panoramic Galley Window
- Nose-Cone Bottle Compartment (TT Only)
- Nose-Cone Storage Compartment (TT Only)
- Radiused Corner Entry and Storage Doors
- Super Light Weight
- Very Low Center of Gravity
- 5-Year AL-KO Chassis Warranty
- Smooth, Uncluttered Front Profile
- Independent Suspension System
- Radial Tires
- Cabinet Bunk (Most Models)
- Lined Drapes with Valances & Sheers
- Automotive Style Rear Bumper






## TRAVEL TRAILERS



(Model shown on cover)



## FIFTH WHEELS



(Model shown on cover)

# STANDARD FEATURES

## EXTERIOR

- Built-in twin 20# bottles w/ auto changeover
- Durrashell roof w/10-year warranty
- Fiberglass skin w/10-year warranty
- 5-year structural warranty
- AL-KO chassis 5-year warranty
- 24" entry door w/window & screen door, radiused corners
- Entry step (double step FW)
- Flush door latch w/dead bolt lock
- Sewer hose compartment
- Locking baggage doors
- Safety chains (N/A FW)
- Break-away switch
- Radiused jalousie windows
- Outside storage compartment(s)
- Enclosed gas bottle compartment
- 2" Kingpin, FWs
- Front window/awning (TTs)

## CONSTRUCTION

- Welded aluminum framed, laminated plywood floor
- Painted aluminum, laminated underbelly
- Welded aluminum framed, laminated walls
- Welded aluminum framed, laminated roof
- Braced and framed for air conditioner

## RUNNING GEAR

- Galvanized steel, high tech imported chassis (TTs)
- Box channel, tubular steel frame (FWs)
- Independent suspension
- Radial tires
- Torsion axle(s) (Single axle on 16RK)
- White spoked wheels
- 10" Electric brakes – all wheels
- Automotive style rear bumper
- Seamless polyethylene wheel wells
- 2 Stabilizer jacks, rear (TTs)

## ELECTRICAL

- 30 amp, 28' power cord
- 120 volt GFI protected circuits
- Pre-wired for air conditioner
- Pre-wired for microwave
- 120 volt power center
- Outside 120 volt recept
- Patio light
- Ceiling lights w/wall switches
- Battery box with positive ventilation
- 40 amp, whisper quiet power converter w/charger

## APPLIANCES/EQUIPMENT

- Domestic refrigerator (flush mount) (2-door on 25' models)
- Magic Chef 3 burner range top
- Microwave ready
- 6 gallon water heater
- Double bowl stainless sink
- Sink cover
- Furnace, 20,000 BTU (16,000 BTU on 16RK)
- Demand water pump

## APPLIANCES/EQUIPMENT (cont'd)

- Air conditioner prep
  - Water heater bypass
  - Power range hood w/light
- ## INTERIOR
- Reversible cushions
  - Cabinet bunk(s) (most models)
  - Panoramic galley window
  - Lined designer drapes w/tiebacks & sheers
  - Mini blind at galley window
  - Designer valances
  - Armstrong no wax vinyl flooring
  - High pressure laminated countertops w/brass trim
  - Fabric trimmed dinettes & entry door
  - LP detector
  - Oak framed cabinet doors w/brass knobs (struts on overhead doors)
  - Euro-look cabinetry
  - Smoke detector
  - Fire extinguisher
  - Roof vent(s)
  - 60 x 80 queen bed (FWs)
  - Bedsprad (double or queen)
  - Headboard (double or queen)

## BATH

- ABS tub (shower pan 16RK)
- Medicine cabinet w/mirror door
- Power roof vent
- Theford toilet
- Shower curtain w/valance
- Towel bar, toothbrush holder & toilet tissue holder



Model shown is 25RB

# SPECIFICATIONS

Model	16RK	19RB	21RB	21RDB	21RBH	25RB	25RDB	25FDB	25FK	521RL	523RB	525RK
Length	16'0"	19'0"	21'0"	21'0"	21'0"	25'0"	25'0"	25'0"	25'0"	21'10"	23'10"	25'10"
Interior Height	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"	6'4"
Exterior Width	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"
Exterior Height	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'6"	8'6"	8'6"
Total Dry Weight (lbs.)	1950	2415	2600	2600	2630	2905	2850	2840	2880	3005	3105	3385
Load Capacity (lbs.)	700	1420	1545	1545	1515	1495	1550	1560	1520	1650	1650	1595
Dry Hitch Weight (lbs.)	170	240	300	320	340	350	360	285	330	480	460	540
Fresh Water (gal.)	25	25	25	25	25	25	25	25	25	25	25	25
Gray Water (gal.)	25	25	25	25	25	25	25	25	25	25	25	25
Black Water (gal.)	8	25	25	25	25	25	25	25	25	25	25	25
Tire Size	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13

Dry weights based on standard features; optional equipment not included. Carrying capacity determined by subtracting total weight from GVWR and includes fluids, options, and cargo. Liquid capacities and weights are approximate only.

Since Aero Manufacturing constantly strives to improve its product, all specifications are subject to change without notice.

## POPULAR OPTIONS

- Awning A&E 8300
- Air conditioning 7,100 BTU
- Air conditioning 13,500 BTU
- AM/FM cassette w/2 speakers
- Stereo prep (2 speakers, wire, antenna)
- Chair
- Microwave oven
- Monitor panel
- Spare tire, carrier, cover
- TV antenna w/cable hookup
- Reese mini weight distributing hitch

## APPROX. WEIGHT

- 45-60#
- 75#
- 104#
- 2#
- 1#
- 35#
- 30#
- 1#
- 40#
- 6#
- 35#

# 1996 Towing Specifications

Listed below are tow ratings that are the highest available for the respective models. Certain optional equipment may be required and other restrictions may apply.

VEHICLE	ENGINE	TOW LIMIT (lbs.)	VEHICLE	ENGINE	TOW LIMIT (lbs.)	VEHICLE	ENGINE	TOW LIMIT (lbs.)
<b>BUICK</b>			<b>FORD (cont'd)</b>			<b>MERCURY</b>		
Century	3.1 V-6	2000	Aerostar Wagon (2WD)	3.0 V-6	3600	Cougar	All	2000
Le Sabre	3.8 V-6	3000	Bronco (4WD)	5.0 V-8	6600	Grand Marquis	4.6 V-6	5000
Park Avenue	3.8 V-6	3000	Club Wagon	4.9 I-6	4700	Sable	All	2000
Park Avenue Ultra	3.8 V-6	2000	Club Wagon HD	4.9 I-6	4700	Villager	3.0 V-6	3500
Regal	3.8 V-6	2000	Club Wagon Super	4.9 I-6	4400	Mountaineer	5.0 V-8	6700
Roadmaster	5.7 V-8	5000	Club Wagon All	5.8 V-8 Min.	6600	<b>MITSUBISHI</b>		
<b>CADILLAC</b>			Explorer	4.0 V-6 Min.	4800	Montero	All	5000
DeVille/DeVille Concourse	4.6 V-8	3000	F-150 All	4.9 I-6 Min.	5300	Pickup (2WD)	All	3500
Fleetwood/Brougham	5.7 V-8	7000	F-150 All	5.0 V-8 Min.	6700	<b>NISSAN</b>		
<b>CHEVROLET/GMC</b>			Ranger Reg. Cab. (2WD)	2.3 I-4	2300	Pathfinder	3.3 V-6	5000
Astro/Safari (AWD)	4.3 V-6	5000	Ranger All	3.0 V-6	4000	Pickup (All)	2.4 I-4	3500
Astro/Safari (RWD)	4.3 V-6	5500	Ranger All	4.0 V-6	5600	Pickup (2WD) (95)	3.0 V-6	5000
Blazer/Jimmy (2WD)	4.3 V-6	5500	Taurus (95)	All	2000	Quest	3.0 V-6	3500
Blazer/Jimmy (4WD)	4.3 V-6	5000	Thunderbird	All	2000	<b>OLDSMOBILE</b>		
Caprice	All	5000	Windstar	3.8 V-6	3500	Bravada	4.3 V-6	5000
Lexpress/Savana	4.3 V-6	5000	<b>HONDA</b>			Cutlass Ciera/Cruiser	3.1 V-6	2000
Lumina Van	3.4 V-6	3000	Passport	3.2 V-6	4500	Silhouette	3.4 V-6	3500
Lumina Van	3.8 V-6	3000	<b>ISUZU</b>			<b>PLYMOUTH</b>		
S-Series/Sonoma	2.2 I-4	2000	Hombre	2.2 I-4	2000	Acclaim (95)	All	2000
S-Series/Sonoma (2WD)	4.3 V-6	6000	Rodeo	3.2 V-6	4500	Voyager (FWD)	3.3, 3.8 V-6	3500
S-Series/Sonoma (4WD)	4.3 V-6	5500	Trooper	3.2 V-6	5000	Voyager (AWD) (95)	3.8 V-6	2000
<b>CHRYSLER</b>			<b>JAGUAR</b>			Voyager	2.4 I-4	2000
All Cars	All	2000	All	All	3300	<b>PONTIAC</b>		
Town & Country (FWD)	3.3, 3.8 V-6	3500	<b>JEEP</b>			Transport	3.4 V-6	3000
<b>DODGE</b>			Cherokee	2.5 I-4	2000	<b>SAAB</b>		
Caravan (FWD)	3.3, 3.8 V-6	3500	Cherokee/Grand Cherokee	4.0 I-6	5000	All	All	2000
Caravan (AWD)	All V-6	2000	Grand Cherokee	5.2 V-8	6500	<b>SUBARU</b>		
Dakota (2WD) Reg. Cab.	2.5 I-4	2800	<b>LAND ROVER</b>			All	All	2000
Dakota	3.9 V-6 Min.	5200	Defender 90	All	3500	<b>TOYOTA</b>		
Dakota	5.2 V-8 Min.	6400	Discovery	All	5500	4 Runner	3.4 V-6	5000
Intrepid	All	2000	Range Rover	All	6500	4 Runner	2.7 I-4	3500
Ram P.U. D1500 (Reg. Cab.)	3.9 V-6	3500	<b>LEXUS</b>			Camry/Celica/Avalon	All	2000
Ram Wagon B1500	3.9 V-6	4500	All	All	2000	Land Cruiser	4.5 I-6	5000
Ram Wagon B1500	5.2 V-8	6100	<b>LINCOLN</b>			Pickup (Compact)	All	3500
Ram Wagon B2500	3.9 V-6	4400	Continental	4.6 V-8	2000	Previa	2.4 I-4	3500
Shadow/Spirit	All	2000	Mark VIII	4.6 V-8	2000	T100 (2WD)	2.7 I-4	4000
<b>EAGLE</b>			Town Car	4.6 V-8	5000	Tacoma	All I-4	3500
Summit Wagon (2WD)	2.4 I-4	2000	<b>MAZDA</b>			Tacoma	3.4 V-6	5000
Summit Wagon (AWD)	2.4 I-4	2500	B2300 (2WD)	2.3 I-4	2300	<b>VOLKSWAGON</b>		
Vision	All V-6	2000	B3000 (4WD)	3.0 V-6	4400	Eurovan	All	4400
<b>FORD</b>			B4000 All	4.0 V-6	5600	<b>VOLVO</b>		
Aerostar Ext. Wagon (2WD)	3.0 V-6	4000	MPV (2WD)	3.0 V-6	4300	All	All	3300
Aerostar Ext. Wagon (AWD)	4.0 V-6	4400	MPV (AWD)	3.0 V-6	4000			
Aerostar Ext. Wagon (AWD)	4.0 V-6	4200						

Your Local Dealer

This brochure is printed on recycled paper as part of Thor's corporate effort to minimize waste and conserve our natural resources. Providing safe, fuel efficient recreational vehicles is Thor's way of further demonstrating our role as the industry leader in safe-guarding our nation's environment.



- GENERAL WARRANTY INFORMATION**
- Durashell Roof 10 yrs.\*
  - Fiberglass Skin 10 yrs.\*
  - Structural 5 yrs.\*
  - AL-KO Chassis 5 yrs.\*
  - General Camper Coverage 1 yr.\*

(Except Tires & Appliances)  
\*Refer to specific written warranty statement

**AERO MANUFACTURING, INC.**  
1018 West Brooklyn Street • Syracuse, IN 46567