




1998

Catalina Travel Trailers & Fifth Wheels


Floorplans & Technical Specifications




271_{fk}
Front Kitchen
Wide Body
Base Weight 4976 Lbs.



275_{tb}
Two Bedroom
Base Weight 4875 Lbs. EST.




289_{rls}
Rear Lounge
Wide Body
Base Weight 7250 Lbs. EST.




 Indicates Carpeting

Catalina Travel Trailer Floorplans


297_{rks}
Rear Kitchen
Wide Body
Base Weight 7348 Lbs.




298_{fk}
Front Kitchen
Base Weight 5335 Lbs.




299_{tb}
Two Bedroom
Base Weight 5275 Lbs.



310_{wb}
Walk Thru Bath
Base Weight 5422 Lbs.



324_{fks}
Front Kitchen
Base Weight 7967 Lbs. EST.




 Indicates Carpeting

Catalina Travel Trailer Floorplans

330_{tbs}

Two Bedroom


Base Weight 7300 Lbs. EST.



338_{fls}

Front Lounge
Wide Body


Base Weight 8028 Lbs. EST.



342_{ds}

Dinette Slide-Out
Wide Body


Base Weight 8750 Lbs. EST.



364_{tbs}

Two Bedroom Slide-Out
Wide Body

Base Weight 8400 Lbs. EST.



Catalina Travel Trailer Specifications

	271FK	275TB	289RLS	297RKS	298FK	299TB	310WB	324FKS	330TBS	338FLS	342DS	364TBS
Base Weight	4,976	4,875†	7,250†	7,348	5,335	5,275	5,422	7,967†	7,300†	8,028†	8,750†	8,400†
GVWR	7,600	7,600†	9,075†	9,100	7,600	7,600	7,600	10,000†	10,000†	10,000†	10,000†	10,000†
Carrying Capacity	2,624	2,725†	1,825†	1,752	2,265	2,325	2,178	2,033†	2,700†	1,972†	1,250†	1,600†
Hitch Weight	670	670†	1,075†	1,100	860	750	910	1,020†	1,050†	1,320†	1,300†	1,070†
Axle Weight	4,306	4,205†	6,175†	6,248	4,475	4,525	4,512	6,947†	6,250†	6,708†	7,450†	7,330†
Interior Height	6' 6"	6' 6"	6' 10"	6' 10"	6' 6"	6' 6"	6' 6"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"
Exterior Height*	9' 3"	9' 3"	10' 3"	10' 3"	9' 3"	9' 3"	9' 3"	10' 4"	10' 4"	10' 4"	10' 4"	10' 4"
Exterior Length	27' 6"	28' 9"	29' 6"	31'	30' 8"	31' 10"	32' 10"	32' 9"	33' 1"	33' 8"	34' 2"	36' 1"
Exterior Width	8' 5"	7' 10"	8' 5"	8' 5"	7' 10"	7' 10"	7' 10"	7' 10"	7' 10"	8' 5"	8' 5"	8' 5"
Hitch Pin Height	18"	19"	19"	19"	20"	20"	20"	20"	20"	20"	20"	20"
Sleeping Capacity	6/4	8/6	6/6	6/4	6/4	8/8	6/6	6/4	8/6	6/4	6	9/10
Fresh Water Capacity (gal)	40	30	42	30	30	30	30	30	36	30	36	30
Waste Water Capacity (gal)	42	40	40	40	42	40	32	40	40	40	40	40
Grey Water Capacity (gal.)	32	32	42	42	32	32	32	32	32	42	70	42
Water Heater Capacity	6	6	6	6	6	6	6	6	6	6	6	6
LP Gas Capacity (lb.)	60	60	60	60	60	60	60	60	60	60	60	60
Furnace Rating (x 1,000)	31	31	31	31	31	31	31	35	35	35	40	40
Tire Size	○	○	●	●	○	○	○	X	X	X	X	X

* Add 10" for Roof Air Conditioner

† = Estimated at time of printing

● = ST225/75R15C

○ = ST205/75R15C

X = ST225/75R15D

Base Weight: The weight of the unit with no fluids, cargo, optional equipment or accessories.

GVWR (Gross Vehicle Weight Rating): The maximum permissible weight of the unit, including the Base Weight plus all fluids, cargo, optional equipment and accessories. For safety and product performance, do not exceed the GVWR.

Carrying Capacity: The difference between the Base Weight and the GVWR. This is the amount of weight available for all fluids, cargo, optional equipment and accessories. The actual "loaded" weight will depend on the equipped unit and the owner's individual choice of cargo, etc.

Wider Widths: Numerous Coachmen floorplans feature the "wide body" design concept, which gives you significantly enhanced interior living space and innovative floorplans.

In making your purchase decision, you should be aware that a few states restrict access on some or all state

roads to 96" in width, though special road usage permits are generally available. Vehicles up to 102" in width are permitted on all federal highways, and in the vast majority of states. You may wish to confirm the road usage laws in the states of interest to you before making your purchase decision. If width is of concern to you, we invite you to consider the broad array of other Coachmen models offered in the standard 96" width.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Coachmen reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Coachmen dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

Standard Features

INTERIOR AND DECOR

- ◆ Golden Cherry Cabinets
- ◆ Residential Metal Drawer Glides
- ◆ Partial Carpet with Pad
- ◆ Linoleum Flooring - Kitchen & Bath
- ◆ Mini Blinds - Coach
- ◆ Mini Blinds - Bedroom (Except w/Bunks)
- ◆ Radius Windows
- ◆ Home Entertainment Cabinet (338 Only)
- ◆ Side Dinette
- ◆ Jack Knife Sofa
- ◆ Swivel Rocker (Except 271RL, 275TB)
- ◆ Four Prewired Stereo Speakers
- ◆ Cable TV Jack
- ◆ TV Antenna and Rotor Package
- ◆ TV Shelf - Bedroom
- ◆ LP Leak Alarm

GALLEY

- ◆ Microwave Ready
- ◆ 3-Burner (High Output) Range with Oven
- ◆ Power/Lighted Range Hood
- ◆ Flush Mount, Double Door Refrigerator
- ◆ Monitor Panel
- ◆ Stainless Steel Sink
- ◆ Silverware Drawer

SLEEPING

- ◆ Queen Bed (286FL thru 364TBS)
- ◆ Double Bed (271FK, 275TB)
- ◆ Bunk Beds (275, 364)

- ◆ Deluxe Innerspring Mattress-312 Coil
- ◆ Bedspread and Pillow Shams
- ◆ Bedlift System on Island DB or QB

BATH AND WATER

- ◆ Marine Toilet
- ◆ Power Bath Vent
- ◆ One-Piece ABS Tub Surround
- ◆ 6-Gallon Water Heater
- ◆ Water Heater By-Pass Valve
- ◆ Demand Water Pump
- ◆ Decorative Bath Hardware
- ◆ Medicine Cabinet

ELECTRICAL/HEATING/AIR CONDITIONING

- ◆ Outside Receptacle GFI
- ◆ Patio Light
- ◆ Off Door Side Utility Light
- ◆ LP Light
- ◆ Double 30 LB LP Bottles w/Auto Change-Over
- ◆ 31,000 BTU E.I. Furnace (271FK thru 310WB)
- ◆ 35,000 BTU E.I. Furnace (324FKS thru 338FLS)
- ◆ 40,000 BTU E.I. Furnace (342 thru 364TBS)
- ◆ In-Floor Ducted Heat
- ◆ Prewired for Roof Air Conditioning

EXTERIOR/CONSTRUCTION

- ◆ Rubber Roof
- ◆ Fiberglass Insulation
- ◆ Gutter Rail
- ◆ Rear Hose Storage Steel Bumper

- ◆ Double Entry Step - Primary Door (271, 275, 298, 299, 310)
- ◆ Triple Entry Steps at Primary Door (289, 297, 324, 330, 338, 342, 364)
- ◆ Dead Bolt Lock(s)
- ◆ Secondary Entrance Door (Except 275, 297, 299, 330)
- ◆ Hydraulic Slide-Out Room
- ◆ Pre-Wired for Electric Slide Room (296)
- ◆ Retractable Stabilizer Jacks (STD on Slide Models)
- ◆ Straight Axles(STD on Slide Models)
- ◆ Radial Tires
- ◆ Rally Wheels

Optional Features

- ◆ Rear Double Bed (364TBS)
- ◆ Twin Beds (289FL, 296RL, 297RK, 299TB, 330TBS, 364TBS)
- ◆ Bunk Beds (364TBS)
- ◆ Two Bar Stools (296RL, 338FLS, 330TBS, 364TBS)
- ◆ Wall Hugger Recliner (297 & Larger)
- ◆ Free-Standing Dinette w/4 Chairs (289, 297, 324, 330, 338, 342, 364)
- ◆ Free-Standing Dinette (271FK, 298FK, 310WB) (Includes 2 Chairs)
- ◆ Deluxe Sofa w/Hide-a-bed (289, 297, 324, 330, 338, 342, 364)
- ◆ Rear Dinette with Rear Door (364TBS)
- ◆ Entertainment Center (330, 364) (Replaces Swvl. Rocker)
- ◆ Residential AM/FM Cassette Stereo
- ◆ Phone Jack
- ◆ Outside Entertainment Center
- ◆ Combo: Washer and Dryer (338FLS, 364TBS) (Includes Plumbing and 10 Gallon Gas/Electric E.I. Water Heater)

- ◆ Large, Flush Mount, Double Door Refer. (289FL Thru 364TBS)
- ◆ Residential Size Microwave Oven - 1.3 Cubic Foot
- ◆ 6-Gallon E.I. Water Heater
- ◆ 6-Gallon E.I. Gas/Elec. Water Heater
- ◆ 10-Gallon E.I. Gas/Elec. Water Heater (338FLS, 364TBS)
- ◆ Walk-Thru Bath (324FKS, 338FLS, 342DS)
- ◆ Outside Shower
- ◆ Foam Core Insulation Package
- ◆ Tinted Safety Glass - Radius Windows (Safety Glass is Mandatory in Certain States)
- ◆ Ducted Roof Air Conditioning
- ◆ 2nd 13,500 BTU Roof Air Conditioner (299TB & Up)
- ◆ Wire and Frame 2nd Air Conditioner (299 and Up)
- ◆ 50 Amp. Service (299 & Up) (Mandatory with 2nd Roof A/C and Wire Frame from 2nd A/C Options)
- ◆ LP Bottle Cover
- ◆ Power Hitch Jack
- ◆ Spare Tire Kit
- ◆ Retractable Stabilizer Jacks (Non-Slide Models)
- ◆ Straight Axle (Non-Slide Models) (Not available on Wide-Body Units Shipped to Canada)
- ◆ Awning
- ◆ Slide-Out Room Awning (All Slide Models)
- ◆ CSA Upfit

Catalina Fifth Wheel Floorplans

237rls

Rear Lounge
Wide Body


Base Weight 6040 Lbs. EST.



251rls

Rear Lounge


Base Weight 6803 Lbs.



269rls

Rear Lounge
Wide Body


Base Weight 6563 Lbs. EST.



275rk

Rear Kitchen

Base Weight 5686 Lbs. EST.




 Indicates Carpeting

Catalina Fifth Wheel Floorplans

278rks

Rear Kitchen

Base Weight 7172 Lbs. EST.




279tb

Two Bedroom

Wide Body

Base Weight 5940 Lbs. EST.




281tbs

Two Bedroom

Wide Body

Base Weight 7200 Lbs. EST.




285rks

Rear Kitchen

High Profile

Wide Body

Base Weight 8850 Lbs. EST.




Indicates Carpeting

Catalina Fifth Wheel Floorplans


319rls

Rear Lounge
High Profile
Wide Body
Base Weight 9424 Lbs.




320rks

Rear Kitchen
High Profile
Wide Body
Base Weight 9850 Lbs. EST.




358rlts

Rear Lounge
High Profile
Wide Body
Base Weight 10,950 Lbs. EST.



360rks

Rear Kitchen
High Profile
Wide Body
Base Weight
10,200 Lbs. EST.



Catalina Fifth Wheel Specifications

	237RLS	251RLS	269RLS	275RK	278RKS	279TB	281TBS	285RKS	319RLS	320RKS	358RLTS	360RKS
Base Weight	6,040†	6,803	6,563†	5,686†	7,172†	5,940†	7,200†	8,850†	9,424	9,850†	10,950†	10,200†
GVWR	8,020†	9,250	9,260†	8,130†	9,400†	8,300†	9,550†	11,875†	14,500	14,300†	14,650†	14,600†
Carrying Capacity	1980†	2,447	2,697†	2,444†	2,228†	2,360†	2,350†	3,025†	5,075	4,450†	3,700†	4,400†
Hitch Weight	1,020†	1,250	1,260†	1,130†	1,400†	1,300†	1,550†	1,875†	2,500	2,300†	2,650†	2,600†
Axle Weight	5,020†	5,553	5,303†	4,556†	5,772†	4,640†	5,650†	6,975†	6,924	7,550†	8,300†	7,600†
Interior Height	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"
Exterior Height*	10' 3"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	11' 10"	11' 11"	11' 11"	11' 11"	11' 11"
Exterior Length	24' 10"	25' 9"	27'	28' 8"	29' 1"	28' 4"	28' 2"	30' 8"	32' 1"	32' 10"	35' 11"	36' 9"
Exterior Width	8' 5"	7' 10"	8' 5"	7' 10"	7' 10"	8' 5"	8' 5"	8' 5"	8' 5"	8' 5"	8' 5"	8' 5"
Hitch Pin Height	45	45	45	45	45	45	45	45	45	45	45	45
Sleeping Capacity	6/4	6	6/4	6/4	6/4	6	8/6	6/4	4/6	4/6	6	4/6
Fresh Water Capacity (gal.)	30	42	30	30	42	30	36	53	53	53	53	53
Waste Water Capacity (gal.)	42	40	42	40	42	40	40	48	48	48	48	48
Grey Water Capacity (gal.)	42	42	42	40	42	32	40	48	48	48	48	48
Water Heater Capacity	6	6	6	6	6	6	6	6	6	6	6	6
LP Gas Capacity (lb.)	60	60	60	60	60	60	60	60	60	60	60	60
Furnace Rating (x 1,000)	25	31	31	31	31	31	31	31	31	35	40	40
Tire Size	△	●	○	○	●	○	●	X	□	□	□	□

* Add 10" for Roof Air Conditioner † = Estimated at time of printing △ = ST205/75R15B ● = ST225/75R15C ○ = ST205/175R15C □ = LT235/85R16E X = ST225/75R15D

Base Weight: The weight of the unit with no fluids, cargo, optional equipment or accessories.

GVWR (Gross Vehicle Weight Rating): The maximum permissible weight of the unit, including the Base Weight plus all fluids, cargo, optional equipment and accessories. For safety and product performance, do not exceed the GVWR.

Carrying Capacity: The difference between the Base Weight and the GVWR. This is the amount of weight available for all fluids, cargo, optional equipment and accessories. The actual "loaded" weight will depend on the equipped unit and the owner's individual choice of cargo, etc.

Wider Widths: Numerous Coachmen floorplans feature the "wide body" design concept, which gives you significantly enhanced interior living space and innovative floorplans.

In making your purchase decision, you should be aware that a few states restrict access on some or all state roads to 96" in width, though special road usage permits are generally available. Vehicles up to 102" in width

are permitted on all federal highways, and in the vast majority of states. You may wish to confirm the road usage laws in the states of interest to you before making your purchase decision. If width is of concern to you, we invite you to consider the broad array of other Coachmen models offered in the standard 96" width.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Coachmen reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Coachmen dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

Standard Features

INTERIOR AND DECOR

- ◆ Golden Cherry Cabinets
- ◆ Residential Metal Drawer Glides
- ◆ Carpet with Pad - Living Room
- ◆ Carpet - Bedroom
- ◆ Mini Blinds - Coach
- ◆ Mini Blinds - Bedroom
- ◆ Linoleum Flooring - Kitchen & Bath
- ◆ Mini Blind - Kitchen
- ◆ Radius Windows
- ◆ Side Dinette (Except 319RL)
- ◆ Free-Standing Dinette (319RL)
- ◆ Jack Knife Sofa
- ◆ Swivel Rocker (Except 237, 269, 279)
- ◆ Four Prewired Stereo Speakers
- ◆ Cable TV Jack
- ◆ TV Antenna and Rotor Package
- ◆ TV Shelf - Bedroom
- ◆ LP Leak Alarm
- ◆ Trash Can (285 & Larger)

GALLEY

- ◆ Microwave Ready
- ◆ 3-Burner (High Output) Range with Oven
- ◆ Power/Lighted Range Hood
- ◆ Flush Mount, Double Door Refrigerator
- ◆ Monitor Panel
- ◆ Stainless Steel Sink
- ◆ Silverware Drawer

SLEEPING

- ◆ Queen Bed (Except 237RL)
- ◆ Double Bed (237RL)
- ◆ Deluxe Innerspring Mattress - 312 Coil
- ◆ Bedspring and Pillow Shams
- ◆ Bedlift System on Island DB or QB
- ◆ Bedroom Slide-Out (320, 358)

ELECTRICAL / HEATING / AC

- ◆ 30-Amp. Power Cord
- ◆ GFI Circuit
- ◆ Outside Receptacle GFI
- ◆ Patio Light
- ◆ Off-Door-Side Utility Light
- ◆ Hitch Light
- ◆ Double 30 LB LP Bottles w/Auto Change-Over
- ◆ 25,000 BTU E.I. Furnace (237RL)
- ◆ 31,000 BTU E.I. Furnace (251RLS - 319RL)
- ◆ 35,000 BTU E.I. Furnace (320RK)
- ◆ 40,000 BTU E.I. Furnace (360RL, 358RLTS)
- ◆ In-Floor Ducted Heat
- ◆ Prewired for Roof AC

BATH AND WATER

- ◆ Marine Toilet
- ◆ Power Bath Vent
- ◆ 6-Gallon Water Heater
- ◆ Water Heater By-Pass Valve
- ◆ One-Piece ABS Tub Surround
- ◆ Demand Water Pump
- ◆ Decorative Bath Hardware
- ◆ Medicine Cabinet

EXTERIOR / CONSTRUCTION

- ◆ Rubber Roof
- ◆ Fiberglass Insulation
- ◆ Awning Rail
- ◆ Triple Entry Step - Primary Door
- ◆ Dead Bolt Lock(s)
- ◆ Rear Hose Storage Steel Bumper
- ◆ Manual Slide Room (237RL, 269RL)
- ◆ Prewired for Electric Slide Room (237RL, 269RL)
- ◆ Hydraulic Slide Room (Except 237RL, 269RL)
- ◆ Retractable Stabilizer Jacks (Opt. on 275RK, 279TB)
- ◆ 30" Wide Entrance Door
- ◆ Radial Tires
- ◆ Rally Wheels

Optional Features

- ◆ Twin Beds (Except 237RL, 319RLS, 279TB, 319RKS, 320RKS, 358RLTS)
- ◆ Two Bar Stools (237RL, 269RL)
- ◆ Free Standing Dinette w/2 Chairs (275RK)
- ◆ Free Standing Dinette w/4 Chairs (Except 275RK, 279TB) (Std. 319RL)
- ◆ Rear Lounge (237RL) (Includes Two Swivel Rockers and a Jack Knife Sofa)
- ◆ Deluxe Sofa w/Hide-A-Bed (Slide Models) (Except 237RL, 269RL)
- ◆ Wall Hugger Recliner (Except 237, 279, 281)
- ◆ 2nd Wall Hugger Recliner (360RW, 358RLTS)
- ◆ Residential AM/FM Cassette Stereo
- ◆ Outside Entertainment Center
- ◆ Combo Washer/Dryer (320, 360) (Includes Plumbing and 10 Gallon Gas/Electric E.I. Water Heater) (Requires 50 Amp. Service in California) (Only with Std. Bath in 320)
- ◆ Phone Jack
- ◆ Large, Flush Mount, Double Door Refer (269RL and Larger)
- ◆ Residential Size Microwave Oven - 1.3 Cubic Foot
- ◆ 6-Gallon Gas/Elec. E.I. Water Heater
- ◆ 6-Gallon E.I. Water Heater
- ◆ 10-Gallon Gas/Elec. E.I. Water Heater (319, 320, 358, 360)
- ◆ Walk Thru Bath (278, 285, 319, 320, 360)
- ◆ Outside Shower
- ◆ Foam Core Insulation Package

- ◆ Tinted Safety Glass - Radius Windows (Safety Glass is Mandatory in Certain States)
- ◆ Ducted Roof Air Conditioning (Except 237)
- ◆ 13,500 BTU Roof Air Conditioner (237 Only) (Not Available w/Ducted A/C)
- ◆ Second 13,500 BTU Roof Air Conditioner (275RK & Up) (Requires 50 Amp. Service in California)
- ◆ Wire and Frame for 2nd AC (275RK & Up) (Requires 50 Amp. Service in California) (Mandatory w/Ducted Roof A/C on 360RK, 358RLTS)
- ◆ 7.0 Generator (319 & Larger)
- ◆ Generator Ready (319 & Larger)
- ◆ 50 Amp. Service (275 & Larger) (Mandatory with 2nd Roof A/C and Wire and Frame for 2nd A/C Options)
- ◆ Bedroom Slide-Out (319, 360) (Std. on 320, 358)
- ◆ Electric Slide-Out Room (237RL, 269RL)
- ◆ Electric Front Jacks
- ◆ Spare Tire Kit
- ◆ Luggage Rack and Ladder
- ◆ Retractable Stabilizer Jacks (275RK, 279TB) (Std w/Slide-Outs)
- ◆ Shock Absorbers (Except 237RL)
- ◆ Awning (Not Available on Wide-Body Units Shipped to Canada)
- ◆ Slide-Out Room Awning - Doorside (358)
- ◆ Slide-Out Room Awning - Off Doorside (Except 275, 279)
- ◆ Slide-Out Room Awning - Bedroom (319, 320, 358, 360)
- ◆ CSA Upfit

JERRY'S TRAILERS & CAMPERS
2601 S. 13th St.
Norfolk, NE 68701



Coachmen Recreational Vehicle Company • P.O. Box 30, Middlebury, IN 46540 • Visit Our Website At: www.coachmenrv.com

© 1997 Coachmen Recreational Vehicle Company

Litho in U.S.A. 897