

1999



The Original

Super
Light
Weight
Trailer




Aerolite B shown


1999 Floorplans and Specifications
for Aerolite Seven, Aerolite SE,
and Aerolite Eight Trailers and Fifth Wheels




The Original is now even better! **AEROLITE EIGHTS & SPECIAL EDITIONS** 8




824FBR




828RQS




824RQS




830RQS




826RQS




830FDB




826FDB



830FK




828FDB




8524SLD

FIFTH WHEEL



828FK




8527RK


FIFTH WHEEL

7 The Original AEROLITE SEVENS

pp!




19RDB




NEW FLOORPLAN


25FBBH




19RB



25FBR




21RDB




NEW FLOORPLAN


25RQS



21RBH




25FK




NEW FLOORPLAN

23RB




FIFTH WHEEL

523RB




NEW FLOORPLAN

23FBR




FIFTH WHEEL

525RK



25RBH



* **OPTIONAL DOUBLE BED WITH TWIN BUNK**
Available in 19RDB, 21RDB, 25RBH

**Aerolite gives you the ultimate
in peace of mind with warranty
coverage that really protects you
in all of the most important areas:**

- Roof Shell.....12 years
- Fiberglass Skin.....2 years
- AL-KO KOBER Chassis.....5 years
- Structural.....5 years
- AL-KO Independent
Suspension System.....2 years
- Components.....2 years
- General Camper Coverage
(Except Tires & Appliances).....1 year

1999 Seven-wide	19RDB	19RB	21RDB	21RBH	23RB	23FBR	25RBH	25FBBH	25FBR	25RQS	25RK	523RB	525RK
Length	19'0"	19'0"	21'0"	21'0"	23'0"	23'0"	25'0"	25'0"	25'0"	25'0"	25'0"	23'10"	25'10"
Exterior Width	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"	7'1"
Exterior Roof Height	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"
Hitch Dry Weight	240	240	320	340	255	215	285	285	250	440	330	460	540
GVWR	3,835	3,835	4,145	4,145	4,345	4,345	4,400	4,400	4,400	4,400	NA	4,755	4,880
UVW	2,425	2,415	2,600	2,630	2,800	2,750	2,840	2,840	2,890	2,930	2,880	3,105	3,385
NCC	1,410	1,420	1,545	1,515	1,495	1,557	1,560	1,560	1,510	1,470	1,520	1,650	1,595
Fresh Water	25	25	25	25	25	25	25	25	25	25	25	25	25
Grey Water	25	25	25	25	25	25	25	25	25	25	25	25	25
Black Water	25	25	25	25	25	25	25	25	25	25	25	25	25
Tire Size	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13	175/80 R13

1999 Eight-wide	824FBR	824RQS	826RQS	826FDB	828FDB	826FK	828RQS	830RQS	830FDB	830FK	8524SLD	8527RK
Length	26'6"	26'6"	26'6"	26'6"	28'6"	28'6"	28'6"	30'6"	30'6"	30'6"	24'3"	27'3"
Exterior Width	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'	8'
Exterior Roof Height	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	8'3"	9'5"	9'5"
Hitch Dry Weight	300	400	410	350	340	340	380	370	360	420	750	950
GVWR	5,000	5,000	5,000	5,000	5,500	5,500	5,500	5,500	5,500	5,500	6,400	6,400
UVW	3,480	3,480	3,750	3,610	3,770	3,870	3,750	4,010	4,010	3,950	4,610	4,680
NCC	1,520	1,520	1,250	1,390	1,730	1,630	1,750	1,490	1,490	1,550	1,790	1,720
Fresh Water	30	30	30	30	30	30	30	30	30	30	30	30
Grey Water	30	30	30	30	30	30	30	30	30	30	30	30
Black Water	30	30	30	30	30	30	30	30	30	30	30	30
Tire Size	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14

Product information, specifications and photography in this brochure were as accurate as possible at time of printing. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada.

Vehicle Loading—Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices so that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreation vehicle.

Dry weights based on standard features; optional equipment not included. Net carrying capacity (NCC) determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

Warning: This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing and towing instructions.

Your Local Dealer



This brochure is printed on recycled paper as part of Thor's corporate effort to minimize waste and conserve our natural resources. We know you will join us in this effort to maintain North America's great outdoors. For who appreciates the natural beauty of our open spaces more than an RV'er?



THOR
AMERICA'S BEST RV VALUE

AERO MANUFACTURING, INC.

925 W. Brooklyn Street • Syracuse, IN 46567

219.457.8787