



BY TRAIL-LITE

EXPLORE

new directions



Super Lite-Weight Travel Trailers,
Expandables & Fifth Wheels



Trail-Cruiser Benefits

Aluminum Framed, Laminated Construction

Superior strength, light-weight, exceptional durability

Low Center of Gravity

Safe, stable towing with today's downsized tow vehicles

Fiberglass Exterior Skin

Easy to maintain, resistant to scratches, dents and dings

Aerodynamic Front Profile

Less wind buffeting for more stable towing

One-Piece Steel Chassis (Clean-Bond)

Not bolted together-welded for extra strength

Utility Storage Door

Easy access for camping accessories

Roto-Cast Holding Tanks

Seamless and light-weight

Rubber Roof

More durable, lighter, quieter

Torflex Axle

Independent, rubberized, suspension, EZ-Lube™ hubs, 5 year warranty

Ducted Air-Conditioning

All fifth wheels and travel trailers 26' and above



Fold Down Bed

Saves space while providing comfortable sleeping quarters.



Dexter Torsion Axle

Easy lube hubs, independent suspension – creates less sway and bounce for safer, easier towing.



Banak


Hardwood, light-weight, 99% knot free; 1/3 the weight of pine. Used in framing cabinets for the Trail-Cruiser.




Pine

Used in framing cabinets by other RV manufacturers.


Expandable Floor Plans




C17



C17F




C191



C21RBH



C23S




C243S

	C17	CF17F	C191	C21RBH	C23S	C243S
Length (Closed)	17'10"	17'10"	21'10"	22'5"	24'7"	26'2"
Length (Open)	20'10"	18'6"	23'8"	25'5"	27'7"	29'2"
Width (w/o Awning)	96"	96"	96"	96"	96"	96"
Height (w/AC)	9'8"	9'8"	9'8"	9'8"	9'8"	9'8"
Awning Length	10'	10'	12'	13'	15'	17'
Load Cap.	1162	1245	2428	2452	1604	2226
*Hitch Dry Wt. (Appr.)	255	260	279	385	334	491
*Axle Dry Wt. (Appr.)	2338	2255	2572	2548	3396	3374
*Total Dry Wt.	2593	2510	2851	2933	3730	3865
Fresh Water Tank Cap.	30	30	30	30	30	30
Grey Water Cap.	30	30	30	30	30	30
Black Water Cap.	30	30	30	30	30	30
Tire Size	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14


*Weights are approximate and based on standard features, optional equipment not included.





Utility Door



Maximizes storage with the safety of a deadbolt.



Under the Bed Tub Storage

Engineered for easy accessibility while maximizing your living area.

Enclosed Heated Undercarriage




Liftco Slide-Out


High quality slide-out. Welded steel framework strengthens slide-out openings.



Hard Wall Floor Plans




TC21RBH




TC23QB




TC26QBH




TC26SB




TC19RDB




TC21DBL



TC23SB



TC26QBS



TC30QBSS


	TC19RDB	TC21DBL	TC21RBH	TC23QB	TC23SB	TC26QBH	TC26QBS	TC26SB	TC30QBSS
Length	21'2"	22'5"	22'5"	23'11"	25'6"	26'11"	26'11"	27'9"	31'7"
Width (w/ Awning)	96"	96"	96"	96"	96"	96"	96"	96"	96"
Height (w/AC)	9'8"	9'8"	9'8"	9'8"	9'8"	9'8"	9'8"	9'8"	9'8"
Awning Length	13'	13'	13'	14'	15'	18'	18'	18'	18'
Load Cap.	2590	2378	2508	2170	1644	2044	1940	1474	1588
*Hitch Dry Wt. (Appr.)	346	370	375	203	344	373	361	465	431
*Axle Dry Wt. (Appr.)	2410	2622	2492	2830	3356	2956	3060	3526	4012
*Total Dry Wt.	2756	2992	2867	3033	3700	3329	3421	3991	4439
Fresh Water Tank Cap.	30	30	30	30	30	30	30	30	30
Grey Water Cap.	30	30	30	30	30	30	30	30	30
Black Water Cap.	30	30	30	30	30	30	30	30	30
Tire Size	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14	205/75R14

*Weights are approximate and based on standard features, optional equipment not included.


▲ Utility Storage Door

▼ Pass-Thru Storage


Fifth Wheel Floor Plans




TC524DS



TC524RK



TC526RL



TC529BH

	TC524DS	TC524RK	TC526RL	TC529BH
Length (Closed)	25'10"	26'10"	28'	31'
Width (w/ Awning)	96"	96"	96"	96"
Height (w/AC)	11'6"	11'6"	11'6"	11'6"
Awning Length	15'	16'	17'	17'
Load Cap.	3124	2022	2136	2132
*Hitch Dry Wt. (Appr.)	1269	956	1053	1167
*Axle Dry Wt. (Appr.)	4286	4978	4864	5334
*Total Dry Wt.	5555	5934	5917	6501
Fresh Water Tank Cap.	30	30	30	30
Grey Water Cap.	40	30	30	60
Black Water Cap.	40	30	30	30
Tire Size	205/75R14	205/75R14C	205/75R14	205/75R14C

*Weights are approximate and based on standard features, optional equipment not included.




**BRINGING YOU NEW
OPPORTUNITIES TO
EXPLORE**

Standards & Options

	Travel Trailers	Expand-ables	Fifth Wheels
Appliances/Equipment			
Dometic Refrigerator, Flush Mount	•	•	•
3 Burner Range Top	•	•	•
Power Range Hood w/Light	•	•	•
Monitor Panel	•	•	•
Six Gallon Gas Water Heater	•	•	•
20,000 BTU Furnace	•	•	•
Demand Water Pump	•	•	•
Laminated Plywood Countertops	•	•	•
Double Bowl Kitchen Sink	•	•	•
Copper LP Gas Lines - Double Flared	•	•	•
Color Coded Water Lines	•	•	•
Water Heater Bypass Kit	•	•	•
Bath			
ABS Tub Surround or Shower Pan	•	•	•
Shower Curtain w/Tieback	•	•	•
Thetford Toilet	•	•	•
Power Roof Vent	•	•	•
Adjustable Shower Head	•	•	•
Sink and Faucet	•	•	•
Medicine Cabinet w/Mirror	•	•	•
Wall Mounted Light Switch	•	•	•
Construction			
Welded, Aluminum Framed, Laminated Roof with 1-1/2" Polystyrene Block Foam Insulation (R-7), Rubber Roof	•	•	•
Welded, Aluminum Framed, Laminated Walls with 1-1/2" Polystyrene Block Foam Insulation (R-7), Fiberglass Exterior Covering	•	•	•
Welded, Aluminum Framed, Laminated Floor with 1-1/2" Polystyrene Block Foam Insulation (R-7)	•	•	•
Framed, Braced and Wired for Air Conditioning	•	•	•
Rotocast Holding Tanks	•	•	•
Rotocast Fresh Water Tank	•	•	•
Electrical			
Patio Light w/Amber Lens	•	•	•
Ceiling Lights	•	•	•
120 Volt GFI Protected Circuit(s)	•	•	•
120 Volt Breaker Panel	•	•	•
Outside 120 Volt Receptacle	•	•	•
30 Amp, 28' Power Cord (Detachable)	•	•	•
55 Amp Converter w/Charger	•	•	•
Battery Rack	•	•	•
Pre-Wired for Microwave	•	•	•
Exterior			
Rubber Roof	•	•	•
Fiberglass Skin	•	•	•
Clean Bond Painted Chassis	•	•	•
Radius Tinted Windows	•	•	•
Flush Mounted Front Window Awning	•	•	•
Radius Entry Door w/Window, Deadbolt Lock and Screen Door	•	•	•
Outside Storage Compartment	•	•	•
Self-Storing Step	•	•	•
20# LP Tanks with Cover	•	•	•
2-5/16" Coupler	•	•	•
Utility Door Corner Beds	•	•	•
Radius Baggage Door	•	•	•
Automotive "D" Seal on all Windows	•	•	•
Interior			
Large Galley Window	•	•	•
5" Reversible Dinette and Bunk Cushions	•	•	•


	Travel Trailers	Expand-ables	Fifth Wheels
Hard Valances w/ Lambrequins in Living Area	•	•	•
Mini Blinds	•	•	•
No-Wax Vinyl Flooring	•	•	•
Mortise and Tenon Solid Wood Cabinet Doors	•	•	•
Roof Vent in Living Area (Deleted w/Optional Air Conditioning Some Models)	•	•	•
Power Roof Vent in Bath	•	•	•
Inside - Outside Table (TC21RBH, TC21DBL, TC21RBH)	•	•	•
Bed Ends			
Weathershield Tent (Attached Inside C-channel to Prevent Water Entry)		•	
Continuous Piano Hinge for Added Strength		•	
Key Locked for Security		•	
Compression Clamps Ensure Tight Bond of Bunk Seals		•	
6" Bunk End Cushions for Comfort		•	
Pre-wired for Bunk Lights		•	
Cable Supports for Bunk Ends-No Poles		•	
Running Gear			
14" Radial Trailer Tires w/ Tandem Axles	•	•	•
White Spoked Wheels	•	•	•
Tandem Axles (N/A on C-17F and C-17)	•	•	•
10" Electric Brakes, All Wheels	•	•	•
Galvanized Wheel Wells	•	•	•
Torsion Bar Rubberized Independent Suspension System	•	•	•
E-Z Lube Hubs	•	•	•
Safety			
Electric Jacks 5th Wheel (Required)			•
Break-A-Way Switch	•	•	•
Fire Extinguisher	•	•	•
Smoke Detector	•	•	•
LP Detector	•	•	•
Safety Chains	•	•	•
Ground Fault Protected Circuit(s)	•	•	•
Dead Bolt Door Lock	•	•	•
Triple Entry Step			•

	Travel Trailers	Expand-ables	Fifth Wheels
Options			
Air Conditioning,			
13,500 BTU	•	•	•
15,000 BTU	•	•	•
Awning, A & E	•	•	•
Spare Tire, Wheel & Carrier	•	•	•
Stabilizer Jacks (4)			
(STD in Expandable)	•	•	•
TV Antenna/Cable	•	•	•
Outside Grill	•	•	•
AM/FM CD Player	•	•	•
Microwave	•	•	•
Oven	•	•	•
Roof Ladder	•	•	•
Outside Sliding Storage Drawer	•	•	•
Outside Shower	•	•	•
D.S.I. Water Heater	•	•	•
2 Door Refrigerator			
(19' Models & Above)	•	•	•
Stove Cover	•	•	•
Monitor Panel (STD in TT)	•	•	•
Fan-Tastic Fan	•	•	•
2 Bar Stools	•	•	•
Double Entry Step	•	•	•




Sidewall 2" Thick Laminate R-7

1. Fiberglass Skin - dent resistant, low maintenance
2. Luan
3. Aluminum Frame and Foam
4. Wallboard



Roof 2" Thick R-7 3" Thick R-13 (26' & Above)

1. Rubber Roof
2. Luan
3. Aluminum Frame and Foam
4. Ceiling Board



Floor 2" Thick Laminate R-7

1. Luan
2. Luan
3. Aluminum Frame and Foam
4. Luan
5. Darco



Towing Guide

Listed below are tow ratings that are the highest available for the respective 2004 models. Certain optional equipment may be required and other restrictions may apply. Check with your automotive dealer for exact specifications.

VEHICLE	ENGINE	TOW LIMIT			
Acura					
MDX	3.5 V-6	3500			
RL	3.5 V-6	2000			
AM General					
Hummer H2	6.0 V-8	6700			
Buick					
Rendezvous	3.4 V-6	3500			
BMW					
X5	4.6 V-8	5950			
X5	4.4 V-8	5950			
Cadillac					
Escalade AWD	6.0 V-8	8200			
SRX	ALL	3500			
Chevrolet/GMC					
Astro/Safari (AWD)	4.3 V-6	5000			
Astro/Safari (RWD)	4.3 V-6	5200			
Blazer/Jimmy (4WD)	4.3 V-6	5500			
Colorado	3.5 I-5	4000			
Express/Savana/G1500	5.3 V-8	6200			
Express/Savana/G1500	5.3 V-8	6600			
Express/Savana/C2500	6.0 V-8	8400			
Express/Savana/C2500/3500	6.0 V-8	8300			
K1500 Ext. Cab. (4WD)	4.8 V-6	6600			
S Series/Sonoma	4.3 V-6	5200			
Silverado/Sierra/C/K 1500	4.3 V-6	4800			
Chrysler					
Town & Country	3.3, 3.8 V-6	3800			
Dodge					
Caravan	3.3, 3.8 V-6	3800			
Caravan	3.8 V-6	3500			
Dakota (2WD) Reg. Cab.	3.7 V-6	4900			
Dakota (2WD) Reg. Cab.	3.7 V-6	5300			
Dakota (2WD) Reg. Cab.	4.7 V-8	5600			
Dakota (2WD) Club Cab.	4.7 V-8	6450			
Dakota (4WD) Reg. Cab.	3.7 V-6	3850			
Dakota (4WD) Club Cab.	3.7 V-6	4500			
Dakota (4WD) Club Cab.	4.7 V-8	5100			
Durango (4WD)	4.7 V-8	5700			
Durango (4WD)	5.9 V-8	7300			
Ram (2WD) 1500 All Cab.	4.7 V-8	5750			
Ram (4WD) 1500 All Cab.	5.7 V-8	7300			
Ram Quad B1500	4.7 V-8	5400			
Ram Quad B2500	3.7 V-8	8300			
Ford					
Econoline Van	4.6 V-8	6500			
Econoline Van	5.4 V-8	6900			
Expedition (4WD)	4.6 V-8	5000			
Expedition (2WD)	4.6 V-8	5000			
Expedition (4WD)	5.4 V-8	6000			
Explorer (2WD)	4.0 V-6	5780			
Explorer (4WD)	4.0 V-6	5380			
F-150 Reg. Cab. (2WD)	4.2 V-6	3500			
F-150 Reg. Cab. (2WD)	4.6 V-8	5800			
Infiniti					
FX 35/45	ALL	3500			
Honda					
Pilot	3.5 V-6	3500			
Odyssey	3.5 V-6	3500			
Hyundai					
Santa Fe (2WD)	2.7 V-6	3200			
Santa Fe (4WD)	2.7 V-6	2700			
Isuzu					
Rodeo/Rodeo Sport	2.2, 2.6 I-4	2500			
Rodeo	3.2 V-6	4500			
Ascender (4WD)	4.2 I-6	5300			
Axiom	3.5 V-6	7000			
Jeep					
Grand Cherokee	4.0 I-6	5000			
Grand Cherokee	4.7 V-8	6500			
Liberty	2.4 I-4	2000			
Liberty	3.7 V-6	5000			
Kia					
Wrangler	4.0 I-6	2000			
Land Rover					
Discovery	All	5500			
Range Rover	All	7700			
Lexus					
RX300	3.3 V-6	3500			
LX470	4.7 V-8	6500			
Lincoln					
Aviator	4.6 V-8	7100			
Navigator	5.4 V-8	8800			
Mazda					
B3000 (4WD)	3.0 V-6	2560			
B4000	4.0 V-6	5760			
B4000 (4WD)	4.0 V-6	5580			
Tribute	3.0 V-6	3500			
Mercedes-Benz					
G-500	5.0 V-8	7000			
ML 350	3.7 V-6	5000			
ML 500	5.0 V-8	5000			
ML5AMG	5.4 V-8	7000			
Mercury					
Mountaineer	4.0 V-6	5460			
Mountaineer	4.6 V-8	7300			
Villager	3.3 V-6	3500			
Mitsubishi					
Montero Limited, XLS	3.5 V-6	5000			
Montero Sport ES, LS	3.0 V-6	5000			
Endeavor	3.8 V-6	3500			
Nissan					
Pathfinder	3.5 V-6	5000			
Frontier (4WD)	3.3 V-6	5000			
Xterra	3.3 V-6	5000			
Quest	3.5 V-6	3500			
Oldsmobile					
Bravada	4.2 I-6	6300			
Silhouette	3.4 V-6	3500			
Pontiac					
Aztec	3.4 V-6	3500			
Montana	3.4 V-6	3500			
Subaru					
Legacy/Outback/Forester	2.5 SOHC I-4	2000			
Toyota					
4 Runner	3.4 V-6	5000			
Land Cruiser	4.7 V-8	6500			
Sienna	3.3 V-6	3500			
Tacoma	3.4 V-6	5000			
Tundra (4WD)	4.7 V-8	7200			

OPTIONS	APPROX. WT. (LBS.)
Air Conditioning, 13,500 BTU	104
Air Conditioning, 15,000 BTU	110
AM/FM CD Player	4
Awning, A & E	40-60
Swivel Rocker Chair	35
Microwave	30
Oven	30
Spare Tire & Wheel	35
Stabilizer Jacks (Four)	24
TV Antenna/Cable/Satellite Ready	6
Roof Ladder	5
Outside Grill	15
Outside Shower	3
Outside Sliding Drawer	36
Sink Cover	1
Stove Cover	1
Tub Surround	10
Double Entry Step	7
Chrome Trim Rings w/Cap	3
Raised Panel Overhead Door	5
Raised Panel Refer Door	3
Fan-Tastic Fan	15
2 Bar Stools	20

R-Vision, Inc.

2666 S. Country Club Drive
Warsaw, IN 46580
www.trail-lite.com



Our 58 acre complex in
Warsaw, Indiana

As R-Vision constantly strives to improve our product, all specifications listed in this informative brochure are subject to change without notice or obligation. Photos may show optional equipment which is not included in the purchase price of the unit. Test drive and review a current model on your dealer's lot today.
2006 R-Vision, Inc. R-100-166

Your Dealer
JERRY'S TRAILERS & CAMPERS
2601 S. 13th St.
Norfolk, NE 68701
(402) 371-1306